



# **GATAMATHI WATER AND SANITATION COMPANY**

**P.O. BOX 93 -10204, KIRIA-INI.**

**TEL: 020-2032602**

**Email: [gatamathisp@gmail.com](mailto:gatamathisp@gmail.com)**

**Website: [www.gatamathisp.co.ke](http://www.gatamathisp.co.ke)**

**TENDER NO-----**

**JUNE 2017**

**GENERAL MANAGER,  
GATAMATHI WATER AND SANITATION COMPANY**

**PO BOX 93-10204**

**KIRIA-INI.**

**CONFIDENTIAL BUSINESS QUESTIONARE FORM**

You are requested to give the particulars indicated in part 1 and either part 2 (a), 2(b) or 2(c) whichever applies to your type of business. You are advised that it is a serious criminal offence to give false information on this form.

**Part 1.General Information**

Business Name-----

Plot No-----

Street/Road-----

Postal Address-----Tel.No-----Fax-----

Email -----

Nature of Business-----

Registration Certificate No-----

VAT No-----PIN No-----

Maximum value of business which you can handle at any one time Ksh-----

Name of your bankers-----Branch-----

---

**Part 2(a)-Partnership**

Your name in full-----Age-----

Nationality -----Country of origin-----

---

**Part 2(a) Proprietor**

Give details of Partners as follows

Name, nationality and shares

Name	Nationality	shares
1. -----		
2. -----		
3. -----		
4. -----		

**Part 2(c) Registered Company**

Private or Public-----

State the Nominal and issued Capital of the company:-

Nominal Kshs-----

Issued Kshs-----

Give details of all Directors as follows:-

Name, Nationality and Shares

Name	Nationality	Shares
1. -----	-----	-----
2. -----	-----	-----
3. -----	-----	-----
4. -----	-----	-----

Signature of tenderer-----Date-----

## **GTM /010/2017-2018 SUPPLY AND DELIVERY OF HDPE PIPES KS-ISO 4427 FOR POTABLE WATER AND FITTINGS**

Before filling any price, tenderers are requested to read carefully the specifications below. They will form the base of evaluation.

### **Specifications**

The HDPE must be manufactured under ISO 4427.

Suppliers must agree for floating test of piece of pipe to be immersed in water to check whether it will. Note if the material does not float the whole consignment will be rejected. The piece subjected to the test will be cut from the consignment and will be picked randomly.

### **Visual Checks on Pipes upon delivery**

#### **Appearance**

- i) When viewed without magnification the internal and external surfaces of pipes shall be smooth, clean and free from scouring, cavities and other surface defects to an extent that would prevent conformity to this standard.
- ii) The material shall not contain any impurities visible without magnification.
- iii) The ends of the pipe shall be cut cleanly and square to the axis of the pipe.

### **Visual Checks on Pipes upon delivery**

- i) SDR Standard Dimension Ratio = outside diameter (Do) / wall thickness (t); SDR determines the pressure rating (PN) of the pipe
- ii) Wall thickness Vs pressure class,
- iii) Minimum marking on pipes – traceability. Standard (ISO 4427), Name of manufacturer; Date; pressure in (PN); material (u-PVC); intended use
- iv) Geometry of pipe – Ovality check
- v) Colour coding

### **Minimum Required Marking on Pipes**

- i) Manufacturer's name and/or trade mark
- ii) Nominal Size e.g. DN 110
- iii) Minimum Wall Thickness e.g. 3.2
- iv) Material HDPE
- v) Manufacturer's information
- vi) To ensure traceability, the following details must be given

- vii) The production period (year and month), in figures or in code
- viii) name or code for the production site if the manufacturer is producing at different sites

### **Minimum Required Marking on fittings**

Manufacturer's name and/or trade mark; Nominal Size; Nominal angle and Material (PVC or u-PVC)

### **On the Fitting or on the Packaging**

- i) Number of this International Standard
- ii) Manufacturer's Information
- iii) To ensure traceability, the following details must be given
  - a) The production period (year and month), in figures or in code
  - b) name or code for the production site if the manufacturer is producing at different sites

Nominal outside diameter		Length in metres one roll	PN	Manufacturer	Price (Ksh) VAT inclusive	Remarks
20	Roll		20			
25	Roll		20			
32	Roll		20			
40	Roll		20			
50	Roll		20			
63	Roll		20			
90	Roll		20			

Nominal outside diameter		Length in metres one roll	PN	Manufacturer	Price (Ksh) VAT inclusive	Remarks
20	Roll		16			
25	Roll		16			
32	Roll		16			
40	Roll		16			
50	Roll		16			
63	Roll		16			
90	Roll		16			

Nominal outside diameter		Length in metres one roll	PN	Manufacturer	Price (Ksh) VAT inclusive	Remarks
25	Roll		12.5			
32	Roll		12.5			
40	Roll		12.5			
50	Roll		12.5			
63	Roll		12.5			
90	Roll		12.5			

**Nominal Pressure PN based on design coefficient C=2.5**

Nominal outside diameter		Length in metres one roll	PN	Manufacturer	Price (Ksh) VAT inclusive	Remarks
25	Roll		12.5			
32	Roll		12.5			
40	Roll		12.5			
50	Roll		12.5			

63	Roll		12.5			
90	Roll		12.5			

<b>Nominal outside diameter</b>		<b>Length in metres one roll</b>	<b>PN</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
32	Roll		10			
40	Roll		10			
50	Roll		10			
63	Roll		10			
90	Roll		10			

<b>Nominal outside diameter</b>		<b>Length in metres one roll</b>	<b>PN</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
32		Roll	8			
40		Roll	8			
50		Roll	8			
63		Roll	8			
90		Roll	8			

<b>Nominal Outside Diameter</b>		<b>Length in metres one roll</b>	<b>PN</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
110	Roll	Roll	25			
160		6m	25			

<b>Nominal diameter</b>		<b>Length in metres one roll</b>	<b>PN</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
110	Roll		20			
160		6m	20			
225		6m	20			
280		6m	20			
312		6m	20			
355		6m	20			
400		6m	20			

<b>Nominal diameter</b>		<b>Length in metres one roll</b>	<b>PN</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
110	Roll		16			
160		6m	16			
225		6m	16			
280		6m	16			
312		6m	16			
355		6m	16			
400		6m	16			

<b>Nominal diameter</b>		<b>Length in metres one roll</b>	<b>PN</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
110	Roll		12.5			
160		6m	12.5			
225		6m	12.5			
280		6m	12.5			
312		6m	12.5			
355		6m	12.5			
400		6m	12.5			

<b>Nominal diameter.</b>		<b>Length in metres one roll</b>	<b>PN</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
110	Roll		8			
160		6m	8			
225		6m	8			
280		6m	8			
312		6m	8			
355		6m	8			
400		6m	8			



Fittings will be as described above

**HDPE fittings**

<b>Repairing coupler for HDPE Size in mm</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
20			
25			
32			
40			
50			
63			
90			
110			
160			
225			
280			
<b>TEE 90° SIZE MM</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
20			
25			
32			
40			
50			
63			
90			
110			
<b>FLANGED JOINT WITH MALE FLANGE SIZE MM</b>		<b>Price (Ksh) VAT inclusive</b>	
50			
63			
90			
110			
<b>FEMALE ADAPTOR SIZE MM</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
20			
25			
32			
40			

50			
63			
90			
110			
<b>ELBOW WITH THREADED MALE OFFTAKE SIZE MM</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
25			
32			
40			
50			
63			
90			
110			
<b>END CAP SIZE MM</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
20			
25			
32			
40			
50			
63			
90			
110			
<b>Reducing elbow size mm</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
<b>20-15</b>			
<b>25-20</b>			
<b>Male adaptor with threaded metal- GI size mm</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
20''			
25''			
32''			
40''			
50''			
63''			
<b>Male adaptor with</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>

<b>threaded metal-brass size mm</b>				
20				
25				
32				
40				
50				
63				
<b>45°ELBOW SIZE MM</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>	
20				
25				
32				
40				
50				
63				
<b>Female adaptor with metal off-take(brass) size mm</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>	
20				
25				
32				
40				
50				
63				
<b>90°male elbow with threaded metal (nickel brass) size mm</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>	
20''				
25''				
32''				
40''				
<b>female adaptor with metal (nickel brass) size mm</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>	
20''				
25''				
32''				
40''				
50''				
63''				

<b>BLANKING PLUGS SIZE MM</b>	<b>Manufacture</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
20"			
25"			
32"			
40"			
50"			
<b>METAL TIGHTENING WRENCH SIZE MM</b>	<b>Manufacture</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
20-32			
32-40			
40-50			
50-63			
63-90			
90-110			
<b>90°MALE ELBOW WITH THREADED METAL (BRASS) SIZE MM</b>	<b>Manufacture</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
20			
25			
32			
40			
50			
63			
<b>90°ELBOW SIZE MM</b>	<b>Manufacture</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
16			
20			
25			
32			
40			
50			
63			
75			
90			
110			
<b>90°TEE WITH THREADED FEMALE OF FTAKE</b>	<b>Manufacture</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>

<b>SIZE MM</b>			
16			
20			
25			
32			
40			
50			
63			
75			
90			
110			
<b>90°REDUCING - INCREASE TEE (mm)</b>	<b>Manufacture</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
20-16-20			
20-25-20			
25-20-25			
25-32-25			
32-25-32			
40-32-40			
50-40-50			
63-32-63			
63-50-63			
<b>REDUCING COUPLING SIZE MM</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
20-16			
25-16			
25-20			
32-20			
32-25			
40-25			
40-32			
50-32			
50-40			
63-50			
110-90			
<b>90°ELBOW WITH THREADED FEMALE OFFTAKE SIZE (mm)</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
16"			

20			
25			
32			
40			
50			
63			
75			
90			
110			
<b>90°ELBOW WITH THREADED MALE OFFTAKE</b>	<b>Manufacturer</b>	<b>Price (Ksh) VAT inclusive</b>	<b>Remarks</b>
16			
20			
25			
32			
40			
50			
63			
75			
90			
110			
JOINING CORPER	<b>Manufacturer</b>	<b>Price(Ksh) VATincludi ve</b>	<b>Remarks</b>
FROM GI -200mm(8'') TO HDPE(225MM)			

**Officer's Name**.....

**Supplier/Manufacturer**.....

**Signature**.....

**Date**..... **Official Stamp**